



ग्लोबल ईक्विपमेन्ट एण्ड ट्रेड प्रा.लि.

Global Equipment & Trade Pvt. Ltd.

Ravibhawan-14, Main road, Kathmandu, Nepal

Tel: 977-1-4270377

Mob: 9851096496, 9851081412

E-mail: machinerytraders123@yahoo.com/[gmail.com](mailto:machinerytraders123@gmail.com)



**A Quality Product
For Quality Loving
People....**



**GLOBAL EQUIPMENT
AND TRADE PVT. LTD.**

®



®

Company Profile :

Global Equipment & Trade Pvt. Ltd. is a Supplier to dairy equipment and packing equipment. The Company has been serving since 18 years.

The company develops, manufactures and markets equipment and complete systems for milk production and animal husbandry. Service and sales of a wide range of accessories are also key aspects of global trading operations. The company supplies a highly efficient system of Dairy Machines, Fat Testing Machines, & accessories, juice processing machines, Meat processing machines, packing machineries, bakery machinery, digital balance / weigh scale, potato machines, industrial food processing machines, all kind of machineries & raw materials for industry



Quality Certificate:

Our company focuses its energy on satisfying its valued clientele by offering global quality standard. To give utmost satisfaction to our esteemed clients, the most essential part is to offer a quality based series of products. Thus, we follow strict quality checks to give flawless products for all kitchen processes. Our customers get the best advantages through our product series that helps our clients to get an even food materials cut in our fabricated machines.



Body	S.S. 202
Cutting Chamber	Aluminum
Cutting Blade	8.1"
Cutting Chamber	8" x 3.5"
Average	200 to 250 Kg. / Hr.
L x W x H	21" x 11" x 22"
Weight	44 Kg.



Body	S.S. 202
Cutting Chamber	Aluminum
Cutting Blade	8.1"
Cutting Chamber	8" x 3.5"
Average	200 to 250 Kg. / Hr.
L x W x H	21" x 11" x 33"
Weight	46 Kg.



Body	S.S. 202
Cutting Chamber	Aluminum
Cutting Blade	12"
Chamber Size	12" x 3.3"
Average	300 to 700 Kg. / Hr.
L x W x H	28" x 15" x 26"
Weight	72 Kg.



Body	S.S. 202
Bowl	S.S. 304
Motor	0.5 HP
Gear	Verum Gear
Average	60 Kg. / Hr.
L x W x H	22" x 16" x 21"
Weight	53 Kg.

1 HP CHILLY CUTTER MACHINE



Body	S.S. 202
Jali	S.S. 4 Nos.
Cutting Chamber	Aluminum
Motor	1 HP - 960 R.P.M.
Cutting Chamber	6" x 3"
Average	40 to 70 Kg./Hr.
L x W x H	20" x 14" x 21"
Weight	28 Kg.



2 HP CHILLY CUTTER MACHINE

Body / Blade	S.S. 202
Jali	S.S. 4 Nos.
Motor	2 HP - 1440 R.P.M.
Cutting Chamber	8.5" x 4"
Output	960 R.P.M.
Average	180 to 275 Kg./Hr.
L x W x H	23" x 17" x 29"
Weight	53 Kg.

DRY FRUIT CHIPS & POWDER



Body	S.S. 202
Die	2-Aluminum
Blade	H.S.S.
Moter	1 HP - 960 R.P.M.
Average	13 to 25 Kg. / Hr.
L x W x H	22" x 16" x 20.5"
Weight	28 Kg.



DRY FRUIT TUKDA MACHINE

Body	S.S. 202
Motor	1 HP
Gear Box	Verum
Output	200 R.P.M.
Beater	M.S.
Chamber	Aluminum
Jali	3 - S.S. 202
Average	20 to 40 Kg. /Hr.
L x W x H	17" x 13" x 22"
Weight	38 Kg.



ONION SLICER MACHINE

Body	S.S.
Rotar	Aluminum
Motor	1 HP
Average	100 Kg. / Hr.
L x W x H	25" x 12" x 24"
Weight	40 Kg.



5' 1 HP GRAVY MACHINE

Body	S.S. 202
Chamber	5" x 3"
Motor	2800 R.P.M.
Beater	SS 202
Jali	5 S.S. 202
Average	10 to 25 Kg. /Hr.
L x W x H	19" x 13" x 19"
Weight	28 Kg.



Body	S.S. 202
Chamber	6" x 3.4"
Motor	2800 R.P.M.
Beater	S.S. 202
Jali	5 S.S. 202
Average	30 to 60 Kg./Hr.
L x W x H	20" x 16" x 26.5"
Weight	35 Kg.



Body	S.S. 202
Chamber	8" x 4"
Motor	2800 R.P.M.
Beater	S.S. 202
Jali	5 S.S. 202
Average	45 to 75 Kg./Hr.
L x W x H	19" x 18" x 24.5"
Weight	39 Kg.



9' 3 HP GRAVY MACHINE

Body	S.S. 202
Chamber	9" x 4"
Motor	2800 R.P.M.
Beater	SS 202
jali	5 SS 202
Average	45 to 90 Kg./HR..
L x W x H	23" x 17" x 29"
Weight	43 Kg.



12' 5 HP (THREE PHASE) GRAVY MACHINE

Body	S.S. 202
Cutting Chamber	12" x 4"
Motor	2800 R.P.M.
Beater	SS 202
Jali	4 S.S. 202
Average	70 to 150 Kg./Hr.
L x W x H	23" x 17" x 30"
Weight	71 Kg.



2 HP S.S. E-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	9" x 5" Aluminum
Hoper	7 Kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	7 SS 202
Ampere	10 to 12
Average	7 to 12 Kg./Hr.
L x W x H	24.5" x 12" x 33"
Weight	46 Kg.



3 HP S.S. E-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	10" x 5.2" Aluminum
Hoper	10 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	10 to 12
Average	11 to 16 Kg./Hr.
L x W x H	26.5" x 17" x 38"
Weight	51 Kg.

Body	S.S. 202
Cutting Chamber	10" x 5.2" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	15 to 30 Kg./Hr.
L x W x H	24" x 20" x 45"
Weight	80 Kg.

5 HP S.S. A-CLASS FLOUR MILL

Body	S.S. 202
Cutting Chamber	11" x 6.4" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	36 to 80 Kg./Hr.
L x W x H	27" x 22" x 50"
Weight	98 Kg.

Body	S.S. 202
Cutting Chamber	10" x 6.4" Aluminum
Hoper	18 Kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	22 to 40 Kg./Hr.
L x W x H	24" x 20" x 45"
Weight	89 Kg.

7.5 HP DOUBLE CHAMBER S.S. FLOUR MILL

Body	S.S. 202
Beater	S.S. (Die Cast)
Inner Drum	9.4" x 3.2" Cast Iron
Out Drum	13.7" x 6.2" Aluminum
Jali	8 Nos. (M.S)
No. Load Amp	5.1 Amps.
Max Load Amp	16 Amps.
Motor	2880 R.P.M.
Average	65 to 300 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Weight	170 Kg.

Beater	S.S. 202
Inner Drum	S.S. (Die Cast)
Out Drum	9.4" x 3.2" Cast Iron
Body	13.7" x 6.2" Aluminum
	8 Nos. (M.S)
	5.6 Amps.
Jali	

	17 Amps.
	2880 R.P.M.
Average	80 to 400 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Motor	

Beater	S.S. 202
Inner Drum	S.S. (Die Cast)
Out Drum	9.4" x 3.2" Cast Iron
Body	13.7" x 6.2" Aluminum
	8 Nos. (M.S)
	5.1 Amps.
Jali	

Cyclone Size	16 Amps.
Average	1 HP 2880 R.P.M.
	36" x 75"
Blower Motor	65 to 300 kg. / Hr.



10 HP DOUBLE CHAMBER S.S. FLOUR MILL WITH CYCLONE AND BLOWER

Body	S.S. 202
Beater	S.S. (Die Cast)
Inner Drum	9.4" x 3.2" Cast Iron
Out Drum	13.7" x 6.2" Aluminum
Jali	8 Nos. (M.S)
No. Load Amp	5.6 Amps.

Max Load Amp	17 Amps.
Blower Motor	1 HP 2880 R.P.M.
Cyclone Size	36" x 75"
Average	80 to 400 kg. / Hr.
L x W x H	33.6" x 23.2" x 53"
Weight	262 Kg.



Body	M.S.
Cutting Chamber	10" x 5.2" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	15 to 30 Kg./Hr.
L x W x H	24" x 20" x 42"
Weight	79 Kg.



Body	M.S.
Cutting Chamber	10" x 6.4" Aluminum
Hoper	18 kg.
Motor	2800 R.P.M.
Beater	Die Cast
Jali	8 M.S.
Ampere	13 to 15
Average	22 to 40 Kg./Hr.
L x W x H	24" x 20" x 42"
Weight	85 Kg.

5 HP M.S. A-CLASS FLOUR MILL

Cutting Chamber	10" x 6.4" Aluminum
	2800 R.P.M.
Body	M.S.
Hoper	18 kg.
Motor	
Jali	8 M.S.
Ampere	13 to 15
Average	36 to 80 Kg./Hr.
L x W x H	27.5" x 21" x 48"
Weight	97 Kg.



7.5 HP MS DOUBLE CHAMBER PULVERISER (WITHOUT MOTOR)

Body / Stand / Liner	
Inner Drum	8.5" x 3.5" M.S.
Outer Drum	10.5" x 4.5" M.S.
Hopper	
	M.S.
Beater	S.S. 202
Jali / Screen	6 Nos. (M.S)
	35 kg.
Belt	B 54
Pulley	4"
Motor Pulley	9"
Average	70Kg. to 300 Kg./Hrs.
L x W x H	54 x 22.25 x 44
Weight	157 Kg.



10 HP MS DOUBLE CHAMBER PULVERIZER (Without Motor)

Body / Stand / Liner	M.S.
Inner Drum	8.5" x 3.5" M.S.
Outer Drum	12.5" x 5.5" M.S.
Hopper	35 kg.
Belt	B 54
Beater	S.S. 202

Jali / Screen	6 Nos. (M.S)
Pulley	4"
Motor Pulley	9"
Average	90Kg. to 400 Kg./Hrs.
L x W x H	54 x 22.25 x 44
Weight	172 Kg.

M.S. PULVERIZER (WITHOUT MOTOR)



Body / Foundation			M.S.		
Beater			Hammer		
Drum			M.S.		
M/C Pulley			3.5"		
Motor Pulley			9"		
Motor R.P.M.			1440		
Jali			6 Nos. (M.S)		
Model	Motor	L x B x H	Weight	Average (kg. / Hr.)	Hopper
		23"x16"x33"		12 to 30	
		23"x18.5"x34"		20 to 50	
		27"x18"x39"		30 to 80	

PULVERIZER (WITHOUT MOTOR)



Foundation		M.S.		
Hopper		S.S. 202 - 12 Kg.		
Beater		M.S.		
Drum		Aluminum		
M/C Pulley		3.5"		
Motor Pulley		9"		
Motor R.P.M.		1440		
Jali		8 Nos. (M.S)		
Model	Motor	L x B x H	Average (Kg. / Hr.)	Weight
		27"x18"x41"	15 to 30	
		27"x18"x41"	22 to 40	
		27"x18"x45"	36 to 80	

M.S. & S.S. PULVERIZER (Without Motor)



Foundation		M.S.		
Beater		S.S. 202		
Drum				
M/C Pulley		3.5"		
Motor Pulley		9"		
Motor R.P.M.		1440		
Jali (S.S. 202)		9"-5 Nos. / 12"-4 Nos.		
Model	Motor	L x B x H	Weight	Average (Kg. / Hr.)
9"	3 HP	25"x18"x31"		45 to 90
12"	5 HP	24"x18"x36"		70 to 150

SPICES (MASALA) GRINDING BLOWER PULVERIZER (Without Motor)



Foundation		M.S.	
Beater		M.S. Hammer	
Machine R.P.M.		3600	
Motor R.P.M.		1440	
Jali		4 Nos. (M.S)	
Model	Chamber	L x B x H	Average (Kg / Hr.)
2 HP	4"x8"x5mm	33"x23"x46"	20
3 HP	5"x10"x5mm	28"x23"x46"	30
5 HP	6"x12"x5mm	48"x30"x60"	50



VIBRO SHI

Screen	1-Meter
Screen (WireMess) Material	
Foundation	
Spring	

	24"
	S.S. 304
	M.S.
	6 Pcs.
Ele. Motor Base	Flange Motor
Ele. Motor Type	Vibro Ele. Motor
Motor Standard	ISI, ISO
HP	0.5 HP
Phase	Three Phase
Motor R.P.M.	1440 R.P.M.
Top Structure Material	S.S. 304
	S.S. 202

Bowl / Rotor	S.S. 304
--------------	----------

	L x B x H	Weight	Average (K.g)
--	-----------	--------	---------------

1 Ft.		30"x25"x26"	45 Kg.	0.5 HP	2-4
1.5 Ft.	Body	30"x27"	54 Kg.	1 HP	4-8
2 Ft.		54"x25"x40"	190 Kg.	1.5 HP	10-30
Model	Body	66"x25"x45"	210 Kg.	Motor	15-60
	S.S. 202	91"x 31"x48"			
	S.S. 202				
	S.S. 304				
	S.S. 304				
	S.S. 304				



MIXING MACHINE



DHOKLA STEAM BOX

Body	S.S. 202	
Tray	Aluminum	
TraySize	14" x 18" x 1.25"	
TrayCapacity	1.5 Kg.	
Model	L x B x H	Weight
6 Tray	24" x 25" x 35"	39 Kg.
8 Tray	24" x 25" x 39"	45 Kg.
10 Tray	23.5" x 24.5" x 44"	50 Kg.
12 Tray	23.5" x 24.5" x 48"	56 Kg.



NYLON KHAMAN STEAM BOX

Body	S.S. 202	
Tray	Aluminum	
TraySize	14" x 18" x 2.5"	
TrayCapacity	2.5 Kg.	
Model	L x B x H	Weight
6 Tray	24" x 25" x 40"	42 Kg.
8 Tray	24" x 25" x 47"	47 Kg.
10 Tray	24" x 25" x 53"	55 Kg.
12 Tray	24" x 25" x 60"	63 Kg.



IDLI STEAM BOX

Body	S.S. 202	
Tray	Aluminum	
TraySize	14" x 18"	
TrayCapacity	12 Nos.	
Model	L x B x H	Weight
6 Tray	24" x 25" x 35"	39 Kg.
8 Tray	24" x 25" x 39"	45 Kg.
10 Tray	23.5" x 24.5" x 44"	46 Kg.
12 Tray	23.5" x 24.5" x 48"	51 Kg.



DEEP FRYER KADAI

Body	S.S. 202
Kadai	S.S. 202
Coils	2 Nos. (4000 Wt.)
Kadia Size	24"
Cap	20 Ltr.
L X W X H	29" x 29" x 32"
Weight	31 kg.

Motor	
Body	S.S. 202
Rotor	S.S. 202
Jali	
Back Cover	S.S. 202
	S.S. 202
Average	15 to 20 Kg./Hr.
L X W X H	38" x 11" x 33"
Weight	54 Kg.



FAFDA MACHINE (Regular Model)

Motor	0.25 HP
Body	
Roller	Teflon
Drum	Aluminum
Average	20 Kg./Hr.
L X W X H	14" x 9" x 16"
Weight	21 Kg.



FAFDA MACHINE (Jumbo Model)

Motor	0.5 HP
Body	
Roller	Teflon
Drum	Aluminum
L X W X H	20" x 10" x 16"
Average	30 Kg./Hr.
Weight	40 Kg.





NAMKIN COATING PAN

Body	S.S. 202
Gear	Verum
Drum	S.S. 304
Output R.P.M.	45 R.P.M.

Model	Body	Motor	L x B x H	Weight	Average (Kg. / Hr.)	Depth/Dia	M/C RPM
	S.S. 202		29"x31"x27"		5 to 10	18"/15.5"	
	S.S. 202		30"x32"x28"		10 to 20	18"/18"	
	S.S. 304		37"x22"x32"		20 to 40	32"/32"	

FARSHAN MIXING MACHINE

Body	S.S. 202
Bowl & Rotor	S.S. 304
Output R.P.M.	45 R.P.M.
Bowl BxH	2Ft. x 2Ft.

Model	Body	Motor	L x B x H	Weight	Average (Kg. / Hr.)
1 Ft.	S.S. 202		30"x21"x46"		2 to 4
1.5 Ft.	S.S. 202		35"x19"x27"		4 to 8
2 Ft.	S.S. 202		49"x26"x40"		10 to 30
3 Ft.	S.S. 202		61"x26"x40"		15 to 60
5 Ft.	S.S. 304		90"x26"x40"		20 to 80



POWDER MASALA MIXER MACHINE (2/3/5 FEET)

Body		S.S. 202		
Bowl / Rotor		S.S. 304		
Model	L x B x H	Weight	Motor	Average (K.g)
2 Ft.	54"x25"x40"	190Kg.	1.5 HP	10-30
3 Ft.	66"x25"x45"	210Kg.	2 HP	15-60
5 Ft.	91"x31"x48"	370Kg.	3 HP	20-80

RECTANGULAR FRYER - DIESEL (110 TO 140 LTR.)

Body	S.S. 202
Pan Size	22" x 46"
Power	3.25 HP
Machine Type	Full Automatic
Kurkure & Fryums	250 Kg. /Hr.
Potato Wafer	50 to 55 Kg. /Hr.
Banana Wafer	50 to 55 Kg. /Hr.
Moong Dal	100 to 120 Kg. /Hr.
Chana Dal	120 to 150 Kg. /Hr.
L x W x H	100" x 60" x 85"
Weight	460 Kg.



FINGER CHIPS MACHINE

Body	C.I.
Blade	S.S. 202
L x B x H	20" x 6" x 9"
Weight	15 Kg.

DEEP FRYER

Model	Weight	Length	Width	Height
2 Ltr. Electric	6	17	7	14
5 Ltr. Electric	7	19	11	12
5 Ltr. Ele.+Gas	8	19	12	15
14 Ltr. Ele.+Gas	15	27	19	19
5 Ltr. Double T/Top	11	24	21	15
5 Ltr. Double With Stand	22	24	21	37





**GLOBAL EQUIPMENT
AND TRADE PVT. LTD.**

S.S. 202
1440 R.P.M.
360 R.P.M.

	Kg./Hr.	Batch Time		L x B x H	Weight
5	80	2-3 Min.	0.75 HP	22"x14"x16"	37
10	120	3-5 Min.	1 HP	24"x16"x32"	52
15	180	5-7 Min.	1 HP	29"x18"x36"	68
20	240	7-10 Min.	1.5 HP	29"x18"x40"	74
30	360	10-12 Min.	2 HP	34"x21"x43"	100
50	600	12-15 Min.	3 HP	37"x27"x45"	120

POTATO PEELER MACHINE

Kg.	Body	S.S. 202
	Foundation	M.S.
	Cutting Chamber	Aluminum
	Die	3 Nos.
	Blade	H.S.S. (Lachha, Line, Plain)
	Motor	1
	Output R.P.M.	800 R.P.M.
	Average	150-200 Kg./Hr.
	L x W x H	19" x 13" x 26"
	Weight	



Body	S.S. 202
	M.S.
	Aluminum
Die	3 Nos. 15"
Blade	H.S.S. (Lachha, Line, Plain)
Motor	3 HP 1440 R.P.M.
Output R.P.M.	755 R.P.M.
Average	600 Kg./Hr.
L x W x H	33" x 32" x 44"
Weight	



BANANA WAFER MACHINE

Body	S.S. 202
Foundation	M.S.
Cutting Chamber	Aluminum
Die	3 Nos.
Blade	H.S.S. (Round, Capsule, Belt)
Motor	1 HP 960 R.P.M.
Average	80 to 125 Kg./Hr.
L x W x H	35" x 13" x 25"
Weight	43 Kg.

FINGER CHIPS AUTOMATIC MACHINE

Body	S.S. 202
M/C	360 R.P.M.
Jali & Cutter	S.S. 202
Motor	1 H.P. 1440 R.P.M.
Stand	S.S.
Average	40 to 50 Kg.
L x B x H	S.S.
Weight	52 Kg.



DRYER MACHINE (REGULAR / TILTING)



Bucket (Filter)	S.S. 202
	S.S. 304
	1440 R.P.M.

Motor Pulley				
Batch Time	Depth / Dia.	Output R.P.M.	Weight	L x B x H
2-3 Min.	10.5" / 14"		77 Kg.	35"x25"x30"
3-5 Min.	10" / 14.5"		87 Kg.	35"x28"x25"
5-7 Min.	15.5" / 15.5"		100 Kg.	30"x36"x40"
7-10 Min.	22" / 15.5"		130 Kg.	36"x37"x40"

Body	
Motor	
	2.5"

Model	Type				Motor
				600	1 HP
				450	1 HP
				450	1.5 HP
				450	2 HP



ROTI (CHAPATI) MACHINE

Body	S.S. 202
Motor	1 HP
Average	800 to 1000 Pcs. / Hr.
L x W x H	30" x 22" x 19"



Bowl	S.S. 202 9.5"
Motor	
Output RPM	76
Batch Time	
L X W X H	15" x 13" x 18"
Weight	



Body, Rotor & Gear Cover	S.S. 202
Bowl	S.S. 202 15" x 9.1" (One Piece)
Motor	0.5 HP
Output RPM	76
Batch Time	Min.
L X W X H	30" x 15" x 23"
Weight	43 Kg.



Rotor, Gear Cover, Need Patti	S.S. 202
Body	M.S.
Bowl	1
Output	45 R.P.M. Crown Premium 19"
Batch Time	
Motor	HP
Weight	100 Kg.
Gear	Min.



Rotor, Gear Cover, Need Patti	S.S. 202
Body	M.S.
Bowl	
Batch Time	20.5"
Motor	HP
Output	45 R.P.M.
Gear	Min.



Rotor, Gear Cover, Need Patti	S.S. 202
Body	M.S.,
Bowl	
Output	
Batch Time	Crown Premium 22"
Motor	
L X W X H	41" x 24" x 37"
Weight	125 Kg.
Gear	



Rotor, Gear Cover, Need Patti	S.S. 202
Body	M.S.
Bowl	
Output	
Batch Time	Crown Premium 24"
Motor	
L X W X H	42" x 25" x 40"
Weight	133 Kg.
Gear	Min.

S.S. 202

DOUGH KNEADER (30 Kg.)	
Rotor, Gear Cover, Need Patti	S.S. 202
Body	M.S.
Bowl	
Output	
	Crown Premium
	25.5 15"
Motor	HP
Weight	140 Kg.
Gear	
	Min.



Body	M.S.
Bowl	
Rotor, Gear Cover, Need Patti	
	28 19"
Motor	HP
Output	40 R.P.M.
Gear	Crown Premium
Batch Time	8 Min.
L x W x H	50" x 27" x 39"
Weight	

S.S. 202

DOUGH KNEADER (40 Kg.)			
Rotor, Gear Cover, Need Patti	S.S. 202		
Body	M.S.		
Bowl			
Output			
	27 5" 18"		
Batch Time	3 HP		
Motor			
Gear	Min.		
L X W X H	50" x 25" x 38"		
Weight	175 Ka.		
Body / Need Patti	S.S. 202		
Bowl	S.S. 202		
Gear Cover	S.S.		
Batch Time	5 Min		
Motor	1440 R.P.M.		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
5 Kg.	25" x 18" x 35"	85 Kg.	0.5 HP
10 Kg.	23" x 21" x 46"	93 Kg.	1 HP
15 Kg.	27" x 21" x 46"	110 Kg.	1 HP



Body / Need Patti	S.S. 202		
Bowl	S.S. 202		
Gear Cover	S.S. 202		
Batch Time	5 Min		
Motor	1440 R.P.M.		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
20 Kg.	35" x 25" x 40"	100 Kg.	1.5 HP
30 Kg.	40" x 30" x 45"	107 Kg.	2 HP
50 Kg.	45" x 35" x 52"	130 Kg.	3 HP



Body	S.S. 202		
Bowl	S.S. 202		
Gear Cover	S.S. 202		
Motor	1440 R.P.M.		
Batch Time	5 Min		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
5 Kg.	25" x 18" x 37"	97 Kg.	1 HP
10 Kg.	29" x 30" x 39"	105 Kg.	1 HP
15 Kg.	32" x 20" x 40"	110 Kg.	1 HP

Body / Need Patti	S.S. 202		
Bowl	S.S. 202		
Gear Cover,	S.S. 202		
Motor	1440 R.P. M.		
Batch Time	5 Min		
Gear	Crown Premium		
Model	L x B x H	Weight	Motor
20 Kg.	35" x 25" x 42"	115 Kg.	1.5 HP
30 Kg.	40" x 30" x 47"	125 Kg.	2 HP
50 Kg.	45" x 24" x 55"	150 Kg.	3 HP



Body	S.S. 202		
	40" x 52" x 58"		
Bowl	21" x 21" x 25"		
Gas Burner	2 Nos.		
Motor	1 HP		
Motor Speed			
Bowl R.P.M.	16		
Weight			
Average	15 to 20 Kg./Batch		
Gear	Verem Gear		





HALVA MACHINE

Bowl	S.S. 304
Body & Gear Cover	S.S. 202
Gear	Verum
Output	50 R.P.M.
Gas Burner	



SUGARCANE JUICER

S.S. 202
S.S. 304

Body	Design
Roller	Crushing
Motor	1.5 HP - 1440 R.P.M.
M/C	14 R.P.M.
Type	Italian Gear Box
	Single Time Give All of Juice
	23" x 18" x 21.5"
Weight	65 Kg.



MAWA (KHOYA) MACHINE

Body & Bowl	S.S. 304		
Motor	1440 R.P.M.		
Output	250 R.P.M.		
Model	L x B x H	Weight	Motor
55 Ltr.	47"x26"x32"	135 Kg.	0.5 HP
110 Ltr.	50"x27"x39"	210 Kg.	1 HP
55 Ltr. Tilting	52"x26"x56"	160 Kg.	0.5 HP
110 Ltr. Tilting	57"x27"x60"	230 Kg.	1 HP



MUSTI MACHINE

Bowl	S.S. 202
Bowl Dia.	28"
Bowl Depth	10"
Bowl Thickness	6 mm
Body	C.I.
Gear Cover	S.S. 202
Gear	Verum
Motor	2 HP
Output	55 R.P.M.
Teflon Bars	3 Nos. - 35 mm
Average	15 Kg. / 15 Min.
Weight	165 Kg.
L x B x H	39" x 34" X 47"





Body / Hopper		S.S. 202	
Chamber		C.I.	
Model	L x B x H	Weight	Motor
6" Plate	21" x 13" x 32"	58 Kg.	1.5HP
8" Plate	-	105 Kg.	2 HP



Body	S.S. 202
Motor	
Average	10 to 12 Kg.Hr.
Size	22" x 9" x 23"
Weight	



LADDU CRUSHER MACHINE

Body	S.S. 202
M/C	360 R.P.M.
Jali	S.S. 202
Motor	1 H.P. 1440 R.P.M.
Stand	S.S.
Average	50 to 70 Kg.
L x B x H	15" x 16.50" x 32"
Weight	42 Kg.



CHATNI MACHINE MEAT MINCER MACHINE

Body	M.S.
M/C	360 R.P.M.
Jali & Cutter	S.S. 202
Motor	1 H.P. 1440 R.P.M.
Stand	S.S.
Average	40 to 50 Kg.
L x B x H	18" x 14" x 25.50"
Weight	52 Kg.



PIZZA OVEN

Body		S.S. 202				
Source		ELECTRIC				
Model	Weight	Length	Width	Height	Capacity	
10x16	19	27	16	14	4 Pizza	
12x18	19	29	18	15	6 Pizza	
18x18	19	29	24	15	8 Pizza	
18x24	19	35	24	15	10 Pizza	
24x24	19	36	31	15	12 Pizza	



SANDWICH GRILLER

Body		S.S. 202	
Source		ELECTRIC	
Heater		1100 Watt	
Model	Plate Size	Weight	Capacity
Single	11" x 12"	8 Kg.	4 Pcs.
Double	11" x 12"	15 Kg.	8 Pcs.
Body & Rotor		S.S. 304	



OIL EXPELLER (400 WATT)

Motor	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	1 Kg. to 5Kg. / Hrs.
Weight	
Body & Rotor	



OIL EXPELLER (800 WATT)

Motor	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	5 Kg. to 7Kg. / Hrs.
Weight	
Body & Rotor	S.S. 304



OIL EXPELLER (1200 WATT)

Motor	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	8 Kg. to 10Kg. / Hrs.
Weight	
Body & Rotor	



OIL EXPELLER (1600 WATT)

Motor	Groundnut, Sesame, Coconut, Almond, Mustard, Sunflower, Walnut
Average	10 Kg. to 12Kg. / Hrs.
Weight	
Body & Rotor	



Body - Cutter	S.S. 202
Motor	0.5 H.P. - 2880
Jar	2.5 Ltr. S.S. 202
L x W x H	9" x 10" X 18.5"
Weight	10 Kg.



Body - Cutter	S.S. 202
Motor	1.5 H.P. - 2880
Jar	5Ltr. S.S. 202
L x W x H	8" x 11" X 21"
Weight	30 Kg.



Body - Cutter	S.S. 202
Motor	2 H.P. - 2880
Jar	10 Ltr. S.S. 202
L x W x H	8" x 13" X 21"
Weight	33 Kg.



Body - Cutter	S.S. 202
Motor	3 H.P. - 2880
Jar	14Ltr. With Pipe & Valve
L x W x H	13.5" x 15" X 37"
Weight	45 Kg.



Body - Cutter	S.S. 202
Motor	1.5 H.P. - 2880
Jar	5 Ltr. S.S. 202
L x W x H	22" x 15" X 35"
Weight	38 Kg.



Body - Cutter	S.S. 202
Motor	2 H.P. - 2880
Jar	10Ltr. S.S. 202
L x W x H	22" x 15" X 40"
Weight	41 Kg.

TLTILNG MIXER (HEAVY DUTY)

Body - Cutter	S.S. 202
Motor	3 H.P. - 2880
Jar	14 Ltr. S.S. 202
L x W x H	22" x 17" X 46"
Weight	49 Kg.



Body	M.S.
Motor	3 H.P. - 2880 R.P.M.
Hopper	10 Kg.
Spindle Speed	1200 R.P.M.
Average	60 to 70 Kg. / Hr.
L x W x H	30" x 17" X 45"
Weight	50 Kg.



BAIN MARIE

Model	Size (LxWxH)	Weight
4 BOWL	24" x 24" x 32"	20.4 Kg.
6 BOWL	24" x 26" x 32"	30.0 Kg.
8 BOWL	24" x 48" x 32"	36.4 Kg.
10 BOWL	24" x 60" x 32"	42.0 Kg.
12 BOWL	24" x 72" x 32"	47.5 Kg.



MANCHURIAN BALL MAKING MACHINE

Type	Manual
Material	S.S. 202
L x W x H	47" x 38" x 45"
Weight	24 Kg.



For More Detail Please Visit :
<https://globalequipmenttrade.com.np/>

You can directly contact us :
9851096496 , 9851081412